


## Pemko

### Saddle Thresholds




#### Stocked Product

Model	Size	Finish
170A	36", 48", 72"	Aluminum,
170D	36", 48", 72"	Dark Bronze
171A	36", 48", 72"	Aluminum
171D	36", 48", 72"	Dark Bronze
171SN	72"	Satin Nickel
172A	36", 48", 72", 96"	Aluminum
172D	36", 48", 72", 96"	Dark Bronze
172SN	36", 72"	Satin Nickel


#### Stocked Product

Model	Size	Finish
2005AV	36", 48", 72"	Aluminum (Vinyl)
2005DV	36", 48", 72"	Dark Bronze (Vinyl)
255A	36", 48", 72"	Aluminum
255D	36", 48", 72"	Dark Bronze



## Pemko

### Thresholds





#### Stocked Product

Model	Size	Finish
270A	36", 48", 72"	Aluminum
270D	36", 48", 72"	Dark Bronze
271A	36", 48", 72"	Aluminum
271D	36", 48", 72"	Dark Bronze
272A	36", 48", 72", 96"	Aluminum
272D	36", 48", 72", 96"	Dark Bronze

#### Stocked Product


Model	Size	Finish
276A	36", 48", 72"	Aluminum
276D	36", 48", 72"	Dark Bronze
2748A	36", 48", 72", 96"	Aluminum
2748D	36", 48", 72", 96"	Dark Bronze




## Pemko

### Residential Saddle Thresholds


218



219



149







#### Stocked Product

Model	Size	Finish
218A	36", 72"	Aluminum
218D	36", 72"	Dark Bronze
219A	36", 72"	Aluminum
219D	36", 72"	Dark Bronze
149AV	36", 72"	Aluminum (Vinyl)
149DV	36", 72"	Dark Bronze (Vinyl)
149WV	36", 72"	Painted White (Vinyl)


## Pemko

### Door Bottoms, Shoes & Sweeps




#### Stocked Product

Model	Size	Finish	Model	Size	Finish
210AV	36", 48"	Aluminum (Vinyl)	216AV	36", 48"	Aluminum (Vinyl)
210DV	36", 48"	Dark Bronze (Vinyl)	216DV	36", 48"	Dark Bronze (Vinyl)
210WV	36", 48"	Painted White (Vinyl)	216WV	36", 48"	Painted White (Vinyl)
215AV	36", 48"	Aluminum (Vinyl)	216SNV	36", 48"	Satin Nickel (Vinyl)
215DV	36", 48"	Dark Bronze (Vinyl)	217AV	36", 48"	Aluminum (Vinyl)
215WV	36"	Painted White (Vinyl)	217DV	36", 48"	Dark Bronze (Vinyl)
			217WV	36"	Painted White (Vinyl)



222 DOOR SHOE




#### Stocked Product

Model	Size	Finish
221AV	36", 48"	Aluminum (Vinyl)
221DV	36", 48"	Dark Bronze (Vinyl)
222AV	36", 48"	Aluminum (Vinyl)
222DV	36", 48"	Dark Bronze (Vinyl)


## Pemko

### Surface Sweeps



- 307** With vinyl
- 307AV** Aluminum
- 307DV** Dark Bronze
- 307WV** Painted White



- 315** With Neoprene
- 315CN** Clear Alum.
- 315DN** Dark Bronze
- 315SNN** Satin Nickel




- 345** With Vinyl
- 345AV** Aluminum
- 345DV** Dark Bronze
- 345WV** Painted White



- 3452NB** With Nylon Brush

- 3452CNB** Clear Aluminum
- 3452DNB** Dark Bronze




- 3452V** With vinyl

- 3452AV** Aluminum
- 3452DV** Dark Bronze
- 3452SNV** Satin Nickel
- 3452WV** Painted White



### Stocked Product








Model	Size	Finish
307AV	36", 48"	Aluminum (Vinyl)
307DV	36", 48"	Dark Bronze (Vinyl)
307WV	36", 48"	Painted White (Vinyl)
315CN	36", 48"	Clear Aluminum (Neoprene)
315DN	36", 48"	Dark Bronze (Neoprene)
315SNN	36"	Satin Nickel (Neoprene)
345AV	36", 48"	Aluminum (Vinyl)
345DV	36", 48"	Dark Bronze (Vinyl)
345WV	36", 48"	Painted White (Vinyl)
3452CNB	36", 48"	Aluminum (Nylon Brush)
3452DNB	36", 48"	Dark Bronze (Nylon Brush)
3452AV	36", 48"	Aluminum (Vinyl)
3452DV	36", 48"	Dark Bronze (Vinyl)
3452WV	36"	Painted White (Vinyl)
3452SNV	36", 48"	Satin Nickel (Vinyl)
18100CNB	36", 48"	Aluminum (Nylon Brush)
18100DNB	36", 48"	Dark Bronze (Nylon Brush)



- 18100NB** With Nylon Brush

## Pemko

### Door Bottoms







### Stocked Product

Model	Size	Finish
411ARL	32", 36", 48"	Aluminum
412CRL	36"	Aluminum
412DRL	36"	Dark Bronze
434APKL	36", 48"	Aluminum, (PemkoPrene)
4131CRL	36", 42", 48"	Aluminum
4131DRL	36", 42", 48"	Dark Bronze
4131CNBL	36", 48"	Aluminum (Nylon Brush)
4131DNBL	36", 48"	Dark Bronze (Nylon Brush)
420AVL	36", 48"	Aluminum (Vinyl)
4301CRL	36", 48"	Aluminum
4301DRL	36", 48"	Dark Bronze

## Pemko

### Door Top Weatherseal & Sill Nosing




#### Stocked Product:

Model	Size	Finish
326A	36", 48", 72"	Aluminum
326D	36", 48", 72"	Dark Bronze
327A	36", 72"	Aluminum
327D	36", 72"	Dark Bronze
PA344	36", 48"	Painted Aluminum
346C	36", 40", 72", 76"	Clear Aluminum


## Pemko

### Split Astragals & Gasketing


29326



297S - With silicone




303S - With silicone



### Stocked Product

Model	Size	Finish
297AS	36" X 84"	Aluminum (Silicone)
297DS	36" X 84"	Dark Bronze (Silicone)
297WS	36" X 84"	Painted White (Silicone)
297AS	36" X 96"	Aluminum (Silicone)
297DS	36" X 96"	Dark Bronze (Silicone)
297AS	72" X 84"	Aluminum (Silicone)
297DS	72" X 84"	Dark Bronze (Silicone)
297AS	72" X 96"	Aluminum (Silicone)
297DS	72" X 96"	Dark Bronze (Silicone)
297WS	72" X 96"	Painted White (Silicone)
297AS	84", 96"	Aluminum (Silicone)
297DS	84", 96"	Dark Bronze (Silicone)
303AS	36" X 84"	Aluminum (Silicone)
303DS	36" X 84"	Dark Bronze (Silicone)
303SNS	36" X 84"	Satin Nickel (Silicone)
303AS	72" X 84"	Aluminum (Silicone)
303DS	72" X 84"	Dark Bronze (Silicone)
303AS	84", 96" pair	Aluminum (Silicone)
303DS	84", 96" pair	Dark Bronze (Silicone)
303SNS	84", 96" pair	Satin Nickel (Silicone)
303AS	120" pair	Aluminum (Silicone)
303DS	120" pair	Dark Bronze (Silicone)
29326CNB	96" pair	Aluminum (Nylon Brush)
29326DNB	96" pair	Dark Bronze (Nylon Brush)
306AQD	36" X 80"	Aluminum (Dark Brown Kerf)
306AQD	36" X 84"	Aluminum (Dark Brown Kerf)
306AQW	36" X 80"	Aluminum (White Kerf)

306QD  
306QW






## Pemko

### "T" & Overlapping Astragal

- 355CS** - Silicone
- 355CV** - Vinyl
- 355DS** - Silicone
- 355DV** - Vinyl




#### Stocked Product


Model	Size	Finish
355CS	84", 96", 108", 120"	Clear Aluminum (Silicone)
355DS	84", 96", 108", 120"	Dark Bronze (Silicone)
355CV	84"	Clear Aluminum (Vinyl)
355DV	84"	Dark Bronze (Vinyl)

### "T" & Overlapping Astragals & Brush Weatherstrip


**356 - Astragal**




**357 - Astragal**




**359 - Astragal**



**18041-CNB/DNB**



**18061-CNB/DNB**





#### Stocked Product:

Model	Size	Finish
356AV	84"	Aluminum (Vinyl)
356DV	84"	Dark Bronze (Vinyl)
356WV	84"	Painted White (Vinyl)
356WV	96"	Painted White (Vinyl)
357SP	84", 96"	Galvanized Steel
357D	84", 96"	Dark Bronze
359A	84"	Aluminum
359D	84"	Dark Bronze
18041CNB	84"	Clear Aluminum (Nylon Brush)
18041DNB	84"	Dark Bronze (Nylon Brush)
18061CNB	84"	Clear Aluminum (Nylon Brush)
18061DNB	84"	Dark Bronze (Nylon Brush)

## Pemko

### Locking Astragals Slimline Style




#### Stocked Product

Model	Size	Finish
3493CS	80", 84"	Clear Aluminum (Silicone)
3493DS	80", 84"	Dark Bronze (Silicone)
3496CQ	80", 84"	Clear Aluminum (Bronze Kerf-in Foam)
3496DQ	80", 84"	Dark Bronze (Bronze Kerf-in Foam)

## Pemko


### Smoke Gasketing Pemko Prene

#### PK52




Minimum space between the door face and the stop is 1/16"; maximum space is 3/8". Positive Pressure rated up to 20 minutes.

#### PK33



- Designed for tighter frames.
- Demonstrates extremely low closing force.
- Seal begins compressing at 3/16"; compresses to seal up to a 1/16" gap.

#### PK55




- Designed for tighter frames.
- Demonstrates extremely low closing force.
- Seal begins compressing at 3/16"; compresses to seal up to a 1/16" gap.

#### Stocked Product

Model	Size	Finish
PK52BL	18', 20'	Black
PK52W	18', 20'	White
PK33B	17', 20', 25'	Black
PK33D	17', 20', 25'	Dark Bronze
PK33W	17', 20', 25'	White
PK55B	17', 20', 25'	Black
PK55D	17', 20', 25'	Dark Bronze
PK55W	17', 20', 25'	White

### Gasketing & Edge Seal Products

#### S44



- Designed for tighter frames.
- Demonstrates extremely low closing force.
- Seal begins compressing at 5/16"; compresses to seal up to a 1/16" gap.


#### Stocked Product

Model	Size	Finish
S44D	17', 21', 25'	Dark Bronze
S44W	17', 21', 25'	White

## Pemko

### Fire/Smoke Gasketing

**S88** - Silicone Seal  
S88 is air infiltration tested



**S88D** - Dark Brown  
Also available for special order in black, clear, tan, and white



#### SiliconSeal Adhesive Backed Fire / Smoke Gasketing

- Seals begin compressing at 3/16", and both can be compressed sufficiently to seal openings with 1/16" gaps, making door latching easy.
- Excellent resistance to compression set, particularly at elevated temperatures and for extended periods of times.
- Stays flexible between 70° F and 250° F with very high resistance to flex fatigue.
- Outstanding ozone resistance rating.
- Smoke tested by WYLE Laboratories in accordance with UL 1784-90; meets the requirements of NFPA 105 "Installation of Smoke Control Door Assemblies".

#### Stocked Product


Model	Size	Finish
S88D	17', 21', 20', 25'	Dark Bronze
S88W	17', 21', 20', 25'	White
S88D	204'	Dark Bronze
S88W	204'	White

### Gasketing - EDGE SEAL PRODUCTS

#### Edge Sealing Products for Positive Pressure Door System

- The new positive pressure building codes require stopping the passage of smoke, flames and hot gasses
- Pemko's intumescent and fire / smoke gasketing products have assisted numerous door and frame manufacturers in complying with the new stringent positive pressure standards UL 10C and UBC7-2, Parts I and II, UBC7-2, Part I (for fire) and UBC7-2, Part II (for smoke).
- Many fire rated door assemblies (currently listed for UL 10B) can now be listed for positive pressure (UL 10C) by using Hot Smoke Seal in combination with SiliconSeal. Consult individual door and / or frame manufacturers for specific listing information.

**HSS2000** - Hot Smoke Seal



#### Stocked Product

Model	Size	Finish
HSS2000B	18', 21', 24'	Black
HSS2000 W	18', 21', 24'	White
HSS2000B X S44	18', 21', 24'	Black
HSS2000B X S88	18', 20', 21', 24'	Black


## Pemko

### S773 on Frame with Beveled Edge Door

- Pemko's S773 is a utility gasket that can be used in virtually any application requiring insulation from sound, smoke and weather conditions.
- Pemko's S773 can seal larger gaps than traditional seals and allows for warped doors and frames.
- Pemko's S773 fins help to absorb the door's closing impact.
- Pemko's S773 mounted on the rabbet (on the latch side jamb) means more clearance and easier operation of latches and deadbolts.

The S773 is typically used as a perimeter gasket when sound transmission is an issue. It is an effective seal against heat loss and drafts. Common installation locations include hotel rooms, theaters, offices, etc. The S773 allows a low door closing force so it is particularly well suited to locations where ADA compliance is necessary. S773 can be effectively installed on both interior and exterior doors.

The S773 has an adhesive back and should only be installed on clean, dry and cured surfaces. On the "latch side" door jamb and the door header, the S773 should be installed on the frame rabbet with the tallest fin toward the door stop. On the "hinge side" the S773 should be installed on the door stop with the tallest fin toward the frame rabbet.



- Triple-fin design effectively blocks light and sound from infiltrating a room.
- Product designed as hospitality gasketing (see more hospitality products in the Hospitality Products section).




**Stocked Product**

17', 20', 25', Dark brown

ANSI NUMBER: ROE154

### Fire Glazing Products



#### FG3000S45-14

FG3000S45 in 20 and 45 minute sidelite / borrowed lite / transom lite on hollow metal frame (screen)

**FG3000S45 has successfully passed 20 minutes (with hose stream) and 45 minutes on wood and metal doors with vision lites installed.**


- Maximum wood door size with FG3000S45 48" x 96" single and/or pairs approved
- Maximum hollow metal door size with FG3000S45 48" x 120" single and/or pairs approved

**Note:** verify all applications with your door and/or frame manufacturer

**Stocked Product**

FG3000S


45 Minute X 14 Foot




## Pemko

### Continuous Hinges

#### Full Mortise



#### Full Surface




**CFS83** - Full surface units are designed primarily for retrofit work and are applied to the exposed surface of the door & frame

#### Stocked Product

Model	Size	Finish
CFM83C	83"	Clear Anodized Aluminum
CFS83C	83"	Clear Anodized Aluminum

## Pemko

### 280SWT - Side Wall Track (SWT) System



#### Features:

- Unique mounting bracket extruded into track
- Supports up to 200 lbs per door
- Quick, easy attachment
- No additional shims needed
- New construction or retrofit
- Innovative wall mounted bottom guide assembly allows carpet to be replaced without removing the door.

#### Configurations:



- Single
- 

Bi-parting

#### Kits Include:

- Side Wall Track
- Side Wall Fascia
- Hangers (284) (2 ea)
- Sidewall Mount Mortise Guide (102WA)(1 ea) Stops (286) (2 ea)
- Side Wall End Plates (K28-SWEP) (2 ea)
- Bottom Guide (102N) - Nylon Door (1 ea)

**OPTION:** Mortise Guide (SPECIAL ORDER 102WA)




#### Stocked Product

Model	Track Length	Door Width	Finish (Fascia/End Plates)
280CSWTKIT/6	72"	30"	Aluminum
280CSWTKIT/8	96"	36"	Aluminum
280CSWTKIT/12*	144"	48"	Aluminum

\*NOTE: 280\_SWTKIT/12 comes with enough hardware for two doors.

## Pemko

### RF280 - Side Wall Track (SWT) System



#### Features:

- Unique mounting bracket extruded into track
- Supports up to 200 lbs per door
- Quick, easy attachment
- No additional shims needed
- New construction or retrofit
- Innovative wall mounted bottom guide assembly allows carpet to be replaced without removing the door.



#### Configurations:

- Single
- Bi-parting

#### Kits Include:

- Side Wall Track
- Side Wall Fascia
- Hangers (284) (2 ea)
- Sidewall Mount Mortise Guide (102WA)(1 ea) Stops (286) (2 ea) Side Wall End Plates (KF334-SWEP) (2 ea)
- Bottom Guide (102N) - Nylon Door (1 ea)

**OPTION:** Mortise Guide (SPECIAL ORDER 102WA)



#### Stocked Product

Model	Track Length	Door Width	Finish (Fascia/End Plates)
RF280DSWTK/8	96"	36"	Dark Bronze Anodized