SLIDING SCREEN DOORS

PRODUCT PAGE

Aluminum roll form sliding screen door (assembled / KD)	62
Extruded aluminum sliding screen doors (assembled / KD)	62-64
Steel roll form sliding screen doors (assembled)	64-65
Maui vinyl sliding screen door (assembled / KD)	65
Custom options for sliding screen doors (assembled / KD)	66-67
Door list	68
Top hung universal mounting channel	69
Sliding screen channels and astragals	70
Sliding screen door measuring worksheet	71
Sliding screen door order form	72

Features

- 1-5/8" Roll form aluminum frame
- Black plastic Aniac handle assembly with strike plate & installation screws
- · Non-handed with handle centered
- · Stamped steel corners
- Charcoal fiberglass insect screening (on assembled doors)
- 1" Nylon spring tension roller with adjustment screw (plastic inserts are no longer standard)
- · Extruded vinyl bug seal with flap & tear-off strips
- Assembled & K.D. widths available up to 61"
- Assembled & K.D. heights available up to 97" (specify handle height on doors over 84" tall)
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

• Bronze, gray or white powder coated Call for quote on any sizes or options not shown

3100 (Assembled) Product Line: D3301

Door size up to

37" x 81"	37" x 97"
49" x 81"	49" x 97"
61" x 81"	61" x 97"

4100 (KD) * Product Line: D3310

Door size up to

31" x 81"	31" x 97"
37" x 81"	37" x 97"
49" x 81"	49" x 97"
61" x 81"	61" x 97"

For KD kits - Convenient six pack packaging: Deduct \$2.00 per door (subject to discount) *All rails are miter cut



(Series 3200 Assembled / 4200 KD) $\,$ REGA $\,$

Features

- 1-3/4" .050 Extruded aluminum frame (fluted)
- Extruded aluminum handle assembly with mortise lock & lever
- · Non-handed with handle centered
- Extruded aluminum spur corners
- Charcoal fiberglass insect screening (on assembled doors)
- 1" Steel ball bearing spring tension roller with adjustment screw (plastic inserts are no longer standard)
- · Extruded vinyl bug seal with flap & tear-off strips
- Assembled & K.D. widths available up to 73"
- Assembled & K.D. heights available up to 110" (specify handle height on doors over 84" tall) Extra charges will apply for doors over 97" in height
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

 Adobe, almond, black, bronze or white powder coated Satin anodized

Call for quote on any sizes or options not shown

61" x 81"

3200 (Assembled) **Product Line: D3302**

Door size up to*

37" x 81"	37" x 97"	37" x 110"
49" x 81"	49" x 97"	49" x 110"
61" x 81"	61" x 97"	61" x 110"
73" x 81"	73" x 97"	73" x 110"

*Doors over 97" tall are subject to an additional charge

4200 (KD) ** Product Line: D3311

Door size up to* 31" x 81" 31" x 97" 31" x 110" 37" x 81" 37" x 97" 37" x 110" 49" x 81". 49" x 97" 49" x 110"

61" x 97" For KD kits - Convenient six pack packaging: Deduct \$2.00 per door (subject to discount)

**Miter cut service available for an additional charge





61" x 110"

${ m CLASSIC}$ (Series 3300 Assembled / 4300 KD)

Extruded Aluminum Screen Door



Features

- 1-3/4" .050 Extruded aluminum frame
- Extruded aluminum handle assembly with mortise lock & lever latch
- · Non-handed with handle centered
- · Heavy duty diecast corners with side adjustment
- Charcoal fiberglass insect screening (on assembled doors)
- 1-1/4" Steel ball bearing rollers
- Extruded vinyl bug seal with flap & tear-off strips
- Assembled & K.D. widths available up to 73"
- Assembled & K.D. heights available up to 110" (specify handle height on doors over 84" tall) Extra charges will apply for doors over 97" in height
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- · Bronze or satin anodized

Call for quote on any sizes or options not shown

3300 (Assembled) Product Line: D3302

Door size up to*

37" x 81"	37" x 97"	37" x 110"
49" x 81"	49" x 97"	49" x 110"
61" x 81"	61" x 97"	61" x 110"
73" x 81"	73" x 97"	73" x 110"

*Doors over 97" tall are subject to an additional charge

4300 (KD) ** Product Line: D3311

Door size up to*

31" x 81"	31" x 97"	31" x 110"
37" x 81"	37" x 97"	37" x 110"
49" x 81"	49" x 97"	49" x 110"
61" x 81"	61" x 97"	61" x 110"

For KD kits - Convenient six pack packaging: Deduct \$2.00 per door (subject to discount)

**Miter cut service available for an additional charge

MARQUIS(Series 3400 Assembled / 4400 KD)

Extruded Aluminum Screen Door



Features

- 2-1/2" .060 Extruded aluminum frame (fluted)
- Extruded aluminum handle assembly with mortise lock & lever latch
- Extruded aluminum spur corners
- Charcoal fiberglass insect screening (on assembled doors)
- 1" Steel ball bearing spring tension top rollers
- 1-1/4" Steel ball bearing bottom rollers
- Extruded vinyl bug seal with flap & tear-off strips
- Specify handing: latch side, left or right as outside looking in
- Assembled & K.D. widths available up to 73'
- Assembled & K.D. heights available up to 110" (specify handle height on doors over 84" tall) Extra charges will apply for doors over 97" in height
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

- Adobe, almond, black, bronze or white powder coated
- Satin anodized Call for quote on any sizes or options not shown

3400 (Assembled) Product Line: D3302

Door size up to*

37" x 81"	37" x 97"	37" x 110"
49" x 81"	49" x 97".	49" x 110"
61" x 81"	61" x 97"	61" x 110"
73" x 81"	73" x 97"	73" x 110"

*Doors over 97" tall are subject to an additional charge

4400 (KD) ** Product Line: D3312

Door size up to*

31" x 97"	31" x 110"
37" x 97".	37" x 110"
49" x 97"	49" x 110"
61" x 97"	61" x 110"
	37" x 97". 49" x 97"

**Miter cut service available for an additional charge

(Series 3500 Assembled / 4500 KD) PRESTIG

Features

- 2-1/4" x 1" .050 Extruded "hat section" style aluminum frame (smooth)
- Recessed handle assembly with mortise lock & slide latch
- · Non-handed with handle centered
- Extruded aluminum spur corners
- · Charcoal fiberglass insect screening (on assembled doors)
- 1-1/4" Steel ball bearing rollers
- Extruded vinyl bug seal with flap & tear-off strips
- Assembled & K.D. widths available up to 73"
- Assembled & K.D. heights available up to 110" (specify handle height on doors over 84" tall) Extra charges will apply for doors over 97" in height
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

- · Adobe, almond, bronze or white powder coated
- · Satin anodized

Call for quote on any sizes or options not shown

3500 (Assembled)
Product	Line: D3302
Door	size up to*

37" x 81"	37" x 97"	37" x 110"
49" x 81"	49" x 97"	49" x 110"
61" x 81"	61" x 97"	61" x 110"
73" x 81"	73" x 97"	73" x 110"

*Doors over 97" tall are subject to an additional charge

4500 (KD) ** Product Line: D3312 Door size up to*

31" x 81"	31" x 97"	31" x 110"
37" x 81"	37" x 97"	37" x 110"
49" x 81".	49" x 97"	49" x 110"
61" x 81"	61" x 97"	61" x 110"

**Miter cut service available for an additional charge

Extruded "Hat Section" **Aluminum Screen Door**



(Series 3700 Assembled) BREEZEWAY

Features

- 1-5/8" Roll form steel frame
- Height adjustable from 79-3/8" to 80-3/4" (for height adjustments between 78-1/2" and 79", remove top hood assembly)
- 30", 36" & 48" Standard sizes
- · Black plastic "Precision" handle assembly
- Non-handed
- Stamped steel corners
- · Charcoal fiberglass insect screening
- · Nylon spring tension roller assembly
- · Top roller attached to adjustment channel
- Extruded vinyl bug seal with flap & tear-off strips
- No custom sizes or options
- Precision SAFEGUARD packaging complete with hardware

Standard Finishes

• Bronze, gray or white

3700 (Assembled) Product Line: D3005

Standard sizes available

 			 _	_	_
	3	0"			
	3	6"			
	4	8"			

Economy Roll Form Steel Screen Door



66

$\overline{BRANSON}$ Series 3751 Assembled)



Features

- 1-5/8" Roll form steel frame with hat section
- Height adjustable from 79-3/8" to 80-3/4" (for height adjustments between 78-1/8" and 79", remove top hood
- 36" & 48" Standard size only
- · Black plastic "Superior" handle assembly
- · Non-handed
- · Stamped steel corners
- · Charcoal fiberglass insect screening
- · Nylon spring tension roller assembly
- · Extruded vinyl bug seal with flap & tear-off strips
- · No custom sizes or options
- Precision SAFEGUARD packaging complete with hardware

Standard Finishes

· Bronze, gray or white

3751 (Assembled) Product Line: D3005 Standard sizes available

		3	6"			
		4	8"			

AUI (Series 3600 Assembled / 4600 KD)

Reinforced Vinyl Screen Door



Features

- 2-1/4" x 1" Reinforced vinyl frame (smooth)
- Black plastic handle assembly
- · Non-handed with handle centered
- · Factory welded corners on assembled doors
- · Heavy duty PVC corners with KD kits
- Charcoal fiberglass insect screening (on assembled doors)
- 1" Stainless steel ball bearing rollers with stainless steel adjusting screws
- Extruded vinyl bug seal with flap & tear-off strips
- Specify handing: latch side, left or right as viewed from outside looking in
- Assembled & K.D. widths available up to 61"
- Assembled & K.D. heights available up to 96"
- · Corrosion resistant
- Cannot use Suntex on this door series
- Precision SAFEGUARD packaging complete with hardware (on assembled doors)

Standard Finishes

• White vinyl

Call for quote on any sizes or options not shown

3600 (Assembled) Product Line: D3600

Door size up to.										
37" x 81"	37" x 96"									
49" x 81"	49" x 96"									
61" x 81"	61" x 96"									

4600 (KD) Product Line: D3600

Door size up to:

37" x 81"	37" x 96"
49" x 81"	49" x 96"
61" x 81"	61" x 96"

^{*}Dimension tolerances on assembled doors +/- 3/32" (3/16" overall)

SLIDING SCREEN DOORS

Custom options (add-ons)

Option	Option Code	Description					
Door frame	OP-1PB-1	Install 1 each #288PB – 1-1/8" extruded push bar					
options	OP-1PB-2	Install 2 each #288PB – 1-1/8" extruded push bar					
	OP-CRNSCR	Install 4 screws in each corner; total 16 screws					
	OP-NOSLOT-HARDW	No latch, handles, rollers; no punch or slotting					
	OP-SLSLOT4HNDL	Sliding door handle height; punch XX-x/x" up from bottom to					
Roller options	OP-CLASSIC-N	Install classic side adjust nylon rollers (#477002N)					
	OP-MARQUIS-NB	Slot & install Marquis nylon ball bearing rollers bottom (#4828N)					
	OP-MARQUIS-NT	Slot & install Marquis nylon ball bearing rollers top (#4830)					
	OP-MARQUIS-NTB	Slot & install Marquis nylon ball bearing rollers top & bottom (#4830 & #4828N)					
	OP-MARQUIS-SB	Slot & install Marquis steel ball bearing rollers bottom (#4828)					
	OP-MARQUIS-ST	Slot & install Marquis steel ball bearing rollers top (#4830)					
	OP-MARQUIS-STB	Slot & install Marquis steel ball bearing rollers top & bottom (#4830 & #4828)					
	OP-MARQUIS-SSB	Slot & install Marquis stainless steel ball bearing rollers bottom (#4828SS)					
	OP-MARQUIS-SST	Slot & install Marquis stainless steel ball bearing rollers top (#4830SS)					
	OP-MARQUIS-SSTB	Slot & install marquis stainless steel ball bearing rollers top & bottom (#4830SS & #482					
	OP-REGAL-S	Install Regal steel rollers top & bottom #4131					
	OP-REGAL-SS	Install Regal stainless steel ball bearing rollers #4131-SS					
Handing options	OP-HNDLLEFT	XO"" Handle left from the outside looking in					
	OP-HNDLRIGHT	OX"" Handle right from the outside looking in					
Handle options	OP-1HNDL4227	Install Anjac handle #4227					
	OP-2HNDL4227	Install Anjac handle #4227					
	OP-1HNDL4230	Install Superior handle #4230					
	OP-1HNDL4736	Install latch & flush handle inside & out #4736 w/latch					
	OP-1HNDL4736-NS	No slot/no latch, install flush handles inside & out #4736					
Grille options	OP-GREMPRESS-30	Install Empress heavy duty grille 30"					
	OP-GREMPRESS-36	Install Empress heavy duty grille 36"					
	OP-GREMPRESS-48	Install Empress heavy duty grille 48"					
	OP-GREMPRESS-60	Install Empress heavy duty grille 60"					
	OP-GRFIESTA-30	Install Fiesta grille 30"					
	OP-GRFIESTA-36	Install Fiesta grille 36"					
	OP-GRFIESTA-48	Install Fiesta grille 48"					
	OP-GRFIESTA-60	Install Fiesta grille 60"					

SLIDING SCREEN DOORS

Custom options (add-ons)

Option	Option Code	Description
Pet door options	OP-PD-SLD-S	Install pet door handle side – small w/adapter
·	OP-PD-SLD-M	Install pet door handle side – medium w/adapter
	OP-PD-SLD-L	Install pet door handle side – large w/adapter
Pet door colors	OP-AD	Adobe
	OP-AL	Almond
	OP-BZ	Bronze
	OP-SA	Satin anodized
	OP-WH	White
Screen cloth	OP-SC14CF	Screen cloth charcoal fiber 18" x 14"
options	OP-SC14GF	Screen cloth gray fiber 18" x 14"
	OP-SC16BA	Screen cloth brite aluminum 18" x 16"
	OP-SC16BV	Screen cloth better vue
	OP-SC16CA	Screen cloth charcoal aluminum 18" x 16"
	OP-SC16CF	Screen cloth charcoal fiber 18" x 16"
	OP-SC16GF	Screen cloth gray fiber 18" x 16"
	OP-SC16UV	Screen cloth ultra vue
	OP-SC20CF	Screen cloth charcoal fiber 20" x 20"
	OP-SCD	Delete screen cloth & spline; door shell only
	OP-SCPSBK	Screen cloth black petscreen
	OP-SCPSLBK	Screen cloth black petscreen lite
	OP-SCPSGR	Screen cloth gray petscreen
	OP-SCSSCF	Screen cloth charcoal sunscreen
	OP-SCSSGF	Screen cloth gray sunscreen
	OP-SCSTBK	Screen cloth black sun tex 80%
	OP-SCSTBR	Screen cloth brown sun tex 80%
	OP-SCSTGR	Screen cloth gray sun tex 80%
	OP-SCSTST	Screen cloth stucco sun tex 80%

SLIDING SCREEN DOORS Assembled lines only

Name/	Produc		Name/		
Series	Line	Description	Series	Line	Description
Brentwood 310 Page 62	0 03301	1-5/8" Roll form aluminum frame Custom widths 37" up to 61", Heights up to 97" Black plastic <i>Anjac</i> handle assembly with strike plate & installation screws Bronze, gray or white No custom colors available for this door	Prestige 3500 Page 64	D3302	2-1/4" x 1" .050 Extruded "hat section" style aluminum frame (smooth) Custom widths 37" up to 73", Heights up to 110" * Recessed handle assembly with mortise lock & slide latch Adobe, almond, bronze or white Satin anodized No custom colors available for this door
		1-5/8"			<u></u>
Regal 3200 Page 62	D3302	1-3/4" .050 Extruded aluminum frame (fluted) Custom widths 37" up to 73", Heights up to 110"* Extruded aluminum handle assembly with mortise lock & lever latch Adobe, almond, black, bronze or white Satin anodized No custom colors available for this door	Breezeway 3700 Page 64	D3005	1-5/8" Roll form steel frame Available in 30", 36" & 48" only Black plastic " <i>Precision</i> " handle assembly Bronze, gray or white No custom sizes or colors available for this door
Classic 3300 Page 63	D3302	1-3/4".050 Extruded aluminum frame Custom widths 37" up to 73", Heights up to 110"* Extruded aluminum handle assembly with mortise lock & lever latch Adobe, almond, black, bronze or white Bronze or satin anodized No custom colors available for this door	Branson 3751 Page 65	D3005	1-5/8" Roll form steel frame with hat section Available in 36" & 48" only Black plastic " <i>Superior</i> " handle assembly Bronze, gray or white No custom sizes or colors available for this door
		1-3/4"			
Marquis 3400 Page 63	D3302	2-1/2".060 Extruded aluminum frame (fluted) Custom widths 37" up to 73", Heights up to 110" * Extruded aluminum handle assembly with mortise lock & lever latch Adobe, almond, black, bronze or white Satin anodized No custom colors available for this door	Maui 3600 Page 65	D3600	2-1/4" x 1" Reinforced vinyl frame (smooth) Custom widths 37" up to 61", Heights up to 96" Black plastic handle assembly Corrosion resistant White No custom colors available for this door
		2-1/2"			<u>†</u> 1/2" 1-5/8" → ↑

*Extra charges will apply for doors over 97" in height



70

TOP HUNG UNIVERSAL MOUNTING

For sliding screen doors



*FITS MOST DOOR SERIES BRENTWOOD, REGAL, CLASSIC, MARQUIS

4848AD-36 4848AD-48 4848AL-36 4848AL-48 4848BZ-36 4848BZ-48 4848SA-36 4848SA-48

4848WH-36 4848WH-48

SLIDING SCREEN COMPONENTS

Color code chart (xx)									
AD = Adobe	BK = Black	ML = Mill							
AL = Almond	BZ = Bronze	SA = Satin anodized							
BA = Bronze anodized	GR = Gray	WH = White							

Part No.	Product Line	Description	Drawing
4180xx	F3874	5/8" x 1" Top single track 12' (Available in all colors except gray)	5/8" Inside Dimensions
4181xx	F3874	5/8" x 1" Top double track 12' (Available in all colors except gray)	1-13/32" → 1"
4184xx	F3874	Bottom double track 12' (Available in all colors except gray)	3/4" > \(\frac{3}{4}\) 3/8" \(\frac{15/16"}{15/16"} \)
4185xx	F3874	Single bottom track 12' (Available in all colors except gray)	5/16" 31/3 3/8"
4189WH-8 4189WH	F3870 F3870	Extruded vinyl track 8' Extruded vinyl track 16' (Available in white only)	1/4" 1/4" 1/16" 1/16" 1/16"
4195xx	F3874	5/8" x 1/2" Top single track 12' (Available in all colors except gray)	5/8" Inside Dimensions
4198xx-84 4198BK-96 4198xx-100	F3874 F3874 F3874	Rigid vinyl astragal - 84" (all available colors) Rigid vinyl astragal - 96" (black only) Rigid vinyl astragal - 100" (AL not available) (Available colors: AD, AL, BK, BZ, GR & WH)	1/2" Inside Dimensions 1" 7/16" Inside Dimensions
4199xx84 4199xx	F3874 F3874	Used for extruded sliders Extruded screen astragal - 7' Extruded screen astragal - 8' (Available in all colors except gray)	9/16" 5/8"

SLIDING PATIO SCREEN DOOR

Measuring worksheet



Determine type of header:

Determine what type of header you have; **Top** "**track**" or **Top** "**channel**" from the 2 examples in *Diagram A* on the right.

*Note: If your door is something other than either of the examples in *Diagram A*, we recommend using Lowe's Installation professionals.



Determine Door Height:

To determine the height of your door, measure from the top of the screen door **Top "track"** or **Top "channel"** to the top of the **"bottom sliding screen door track"** as shown. Make height measurements in 3 locations, the center and each end. There may be some "Sag", "Dip" or "Crown" along the door frame on older homes, so use the SHORTEST measurement for the final height of your door using the formula in *Diagram A*.

Example: using *Diagram A* formulas and shortest measurement for a door being 80":

"track" formula: 80" + 1/4" = 80-1/4"
"channel" formula: 80" - 1/4" = 79-3/4"

Net Door Height: _____"



Determine Door Width:

To determine the width, measure from the edge of the side jamb to approximately 1" past the "sliding" glass door panel (see *Diagram B*)

Net Door Width: _____"



Handle:

Please specify placement as either left or right as seen looking from the outside of the door in. (Right hand showing in diagram)

Handle side: ☐ Left ☐ Right




Handle Height:

Handle will be centered unless specified. To order a special handle height placement, measure from the bottom of the door to center of handle.


Special Handle Height: _____"
(Not required for normal installations)

Note: If you have an existing OEM Screen Door, compare your measurements with the size of the door that you are replacing.




2. Determine Height

3. Determine Width



Outside view looking in



Phone (619) 271.2222 | sales@glahs.com

Customer Phone#	ax#	QUOTE ONLY \(\Boxed{\omega} \)	Notes & Options Instructions							
	Customer Fax#	QUOTE	Handle Height							
	ō	ı	Handle Side							
Acct #			Screen (Fabric / Color)							
			Door Color							
			Door Name							
Name	ime	PO # Job/Customer Name	Net Door Size							
Customer Name	Contact Name	PO # Job,	Qty							

*Note: Specify Handle side from the outside looking in.