
Pull (Aluminum)

Contents: 1 outside pull; installation screws.

Description: Anodized aluminum pull; surface mount; used by many manufacturers.




A-116 (Anodized Aluminum)

Screen Shield (Plastic)

Contents: 1 inside and outside panel.

Description: Black plastic; protects area around screen door handle; easy, snap together installation; no tools required; works well with most sliding screen door handle assemblies.






A-141 (Black)

Strike & Guide Kit

Contents: 1 metal strike, 1 diecast strike, 2 adjustment screws with bushings, 2 top door guides.

Description: Sliding screen door keeper, guide and adjustment kit; 2 keeper options repairs most screen doors; adjustment screws and bushings used on most screen doors, top guides fit most screen door channels.



A-236

Latch Strike


Contents: 2 strikes; installation screws. **Description:** Stamped steel strike; used by **Columbia**[®] doors.



1/2" 1-1/2" 9/16"

Finger Pull

Contents: 4 pulls. **Description:** Plated, stamped steel construction.




A-149 (Nickel Plated)

Latch Strike (Plastic)

Contents: 1 latch strike; installation screws.

Description: Adjustable, used by many patio door manufacturers.


Call For Availability



A-169 (White)

Latch Strike


Contents: 2 strikes; installation screws. **Description:** Stamped steel; used by many door manufacturers.



A-125

Latch Strike

Contents: 2 strikes; installation screws. **Description:** Stamped steel strike; used by *Academy®* screen doors.



A-163

RIME-L

A-217

Latch Strike

Contents: 2 strikes; installation screws.

Description: Heavy duty; stamped steel, zinc plated strike, extended vertical height adjustment slot.




A-159

ING SCREEN DOOR

Latch Strike

Contents: 2 strikes; installation screws.


Description: Stamped steel strike; adjustable, used by many screen door manufacturers.



A-148

Latch Strike


Contents: 2 strikes; installation screws. **Description:** Zinc-plated steel; vertical adjustment slot; used by several screen door manufacturers.



A-235

Latch Strike (Diecast)


Contents: 2 strikes; installation screws. **Description:** Diecast; adjustable; used by many patio door manufacturers.




Latch Strike & Guide

Contents: 2 strikes, 2 top guides, installation screws.

Description: Narrow bodied screen door strike, stamped steel, zinc plated, black vinyl top guides; fits on Columbia®.






Latch Strike & Guide

Contents: 2 strikes, 2 top guides, installation screws.

Description: Stamped steel strike; black vinyl top guides; repair part for A-165, sliding screen door latch and pull.




2

A-166

Latch Strike (Diecast)

Contents: 2 strikes; installation screws. Description: Diecast; adjustable; used by many patio door manufacturers.



Latch Strike (Diecast)

A-126 (3/16")

A-127 (1/4")

A-128 (5/16")

Contents: 2 strikes; installation screws.

5/8 **Description:** Diecast; tapered nose; deep reach design; zinc plated finish; used with **≁** 5/16" A-202 style flush latching handles. 1-5/16 Ō 0 1/2' A-203


A-246

A-12

Latch Strike (Diecast)

Contents: 2 strikes; installation screws.

Description: Heavy duty; diecast strike, used by many screen door manufacturers.




A-161

Latch Strike (Plastic)


Contents: 2 strikes; installation screws. **Description:** Plastic twin post hook end; primarily used in the south eastern U.S..

PRIME-LINE



Latch Strike (Diecast)

Contents: 1 strike; installation screw. **Description:** Diecast zinc; long 7/8" reach; used by *Window Master*[®] and others.




A-247

Latch Strike (Plastic)

Contents: 1 latch strike; installation screws.

Description: Black; adjustable; adhesive backing for proper placement prior to drilling jamb for screws, repair part for A-170.



A-171 (White)

Top Guide

Contents: 4 guides.

Description: Plastic top quide: acts as a guide and anti-rattle device.

9/16 5/8" 9/32' Λ 5/16


B-780

SLIDING SCREEN DOOR

Bottom Guide

Contents: 2 guides; installation screws.

Description: Bottom mount; aluminum housing with nylon spring loaded guide; fits on *Ador "Z*^{*®} doors.




B-546

Bottom Guide

Contents: 2 guides.


Description: Nylon bottom guide with adjustment spring and screw; fits on Tucker® doors.



B-598

Top Guide

Contents: 2 guides. Description: Nylon guide with adjustment spring; fits on **Daryl PRI**[®] doors.



5/8

B-591

Guide Contents: 2 guides.

Description: Nylon guide fits on Tucker® doors.

Call For Availability

Top Guide

B-597

1-1/4" Contents: 2 guides. Description: Nylon top guides; fits on Pan Am[®] doors.

5/8" 0 1'

RIME-L

B-595

B-16


(909) 887-8118 • Outside CA - (800) 255-3505 • FAX - (909) 880-2906 • Outside CA - (800) 437-7405

B-599

5/8'

Bottom Guide

Contents: 2 guides; installation screws. Description: Aluminum bracket with nylon guide; bottom mount; fits on Croft® old style doors.




3/8' 1-15/16" Ŋ 0 15/16' 1-9/16

B-545

Bottom Guide

Contents: 2 guides. Description: Nylon bottom guide with spring and cap nut.



11/16" 7/8'

B-601


Top Guide

Contents: 2 guides; with springs and adjustment screws.


Description: Nylon guide with adjustment spring; fits on *Daryl PRI*[®] doors.


Thick 1-1/4" Screw

1/4'



*Call For Availability






Bottom Guide Contents: 2 guides; installation screws. **Description:** Nylon spring loaded assembly; bottom mount; fits on *Ador*®

B-626

doors.

Guide


Contents: 2 guides. Description: Nylon guide; fits on Miller® doors.



B-593

Bottom Guide

Contents: 2 guides. Description: Nylon guide; fits on Tucker® doors.




B-596

Bottom Guide

Contents: 2 guides.


 $\ensuremath{\textit{Description:}}$ Nylon bottom guide; fits on $\ensuremath{\textit{Crossly}}^{\ensuremath{\varnothing}}$ doors.



B-590

Top Guide

Contents: 2 guides. Description: Nylon track guide; fits on **Crossly**[®] doors.



B-589

B-630


Bottom Guide

Contents: 4 guides.

Description: Clear plastic bottom track guide; prevents excessive wear on door frame; fits on doors by *Keller*® Industries.


RIME-L

INE



Bottom Guide


Contents: 4 guides. Description: Nylon guide; fits on Daryl® doors.



B-594

Guide


Contents: 2 guides. Description: Nylon track guide used to prevent wear on door frame.



B-603

Top Guide

Contents: 2 guides.




9/16"

B-602

Top Guide

Contents: 4 guides; with fasteners. Description: Nylon track guide; adjustable; used by many door manufacturers.


Description: Nylon track guide; fits on $Crossly^{\otimes}$ doors.



B-573

Bottom Guide

Contents: 2 guides; installation screws. Description: Rigid vinyl guide; bottom mount; fits on Croft® series 701 and 702 doors. **Call For Availability**



SLIDING SCREEN DOOR


(909) 887-8118 • Outside CA - (800) 255-3505 • FAX - (909) 880-2906 • Outside CA - (800) 437-7405

B-628

Adjustment Screw Pack

Contents: 4 screws.

Description: 8-32 x 1-1/4" Phillips Pan machine screws; adjustment screws for spring tension rollers; used on B-516, B-518, B-608, and B-654.




B-700

SLIDING SCREEN DOOR

Bolt Assembly

Contents: 4 - 1/4"-20 x 3/4" flat head carriage bolts; with hex nuts.

Description: Used with most bottom mount rollers having a 1/4" inside diameter.



1-3/8

7/32"

B-561 (Steel)

B-774 (Stainless Steel)

Screen Door Bug Seal

Contents: 1 strip of vinyl. Description: Black vinyl flap has tear strips to adjust width from 7/8" to 1-3/8"; flexible; seals against insects.

B-621 (84") B-658 (96") PL-14697 (250')

B-660 (84")

PL-16172 (100')

Screen Door Bug Seal

Contents: 1 strip of vinyl. Description: Black vinyl flap has tear strips to adjust width from 7/8" to 1-3/8"; flexible; seals against insects.




432

Screen Door Bug Seal

Contents: 1 strip of vinyl. **Description:** Black vinyl flap has tear strips to adjust width from 7/8" to 1-1/2"; flexible; seals against insects.


B-716 (84") PL-16349 (100')



Roller Adjustment Kit

Contents: 4 nylon sleeves; with fasteners.

Description: Adjustment screws and nylon sleeves fit on *Anjac*[®] style spring tension rollers; 7/16" length under head; most commonly used with B-512 style rollers.





B-623


Universal Bug Seal

Contents: 5 each per master box.


Description: Anodized aluminum molding; 1-1/4" wide vinyl flap is segmented into 1/4" strips you can tear to desired size; pre-punched for screws.







Typical installation on roll-formed door.



extruded door.

Screen Door Bug Seal


B-613 (Clear - 84") B-614 (Clear - 96")

B-615 (Black - 84") **B-616** (Black - 96")

B-801 (White - 84")


B-802 (White - 96")





RIME

B-18



7/16

.450

SLIDING SCREEN DOOF

1/4"


485

B-787 (96")

Door Closer

Contents: 1 closer: installation screws.

Description: Patented screen door closer; installs in seconds; clock spring torque provides positive closing power; white plastic body will not rust; fits into bug seal channel at door bottom; adjustable tension.



B-800 (84")

Door Closer

Contents: 1 closer; installation screws.

Description: Closes screen doors automatically; reliable and durable; helps keep out flies, moths, mosquitoes, etc; fully adjustable tension and closing speed; paintable aluminum construction; supplied with 2-1-1/4" nylon ball bearing rollers to replace rollers on doors that do not roll freely.

Tube length: 61" Tube diameter: 1"

(909) 887-8118 • Outside CA - (800) 255-3505 • FAX - (909) 880-2906 • Outside CA - (800) 437-7405