








SECTION O

GLAZING GASKET PUSH-IN VINYL

- Window Glazing Pocket Vinyl
- Patio Door Glazing Pocket Vinyl
- Shoe Base Glazing Vinyl
- Black Bulb Type Gasket
- Universal Gasket / Vinyl
- Glass Truck Track Rails With Vinyl
- Glazing Vinyl PVC Window Guide & Grids
- Glazing Vinyl Tool Roller



Commercial & Residential Contractor Supply House



Glass • Windows • Aluminum • Doors • Mouldings • Tools • Screens • Accessories



HARDWARE SOLUTIONS LLC

1690 W Frontage Rd, Chula Vista, CA 91911

Direct: (619) 737-9999


Text: (619) 796-6088

Email: info@glahs.com

www.hardwareolutions.com

HS 1131 WINDOW GLAZING POCKET VINYL FOR 1/16" GLASS (SINGLE STRENGTH)


- Takes 1/16" Thick Glass (Single Strength)
- Intended for Single-Pane Windows Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded With 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1131B	1/16" (24 MM)	3/16" (5 MM)	1/4" (6 MM)	500 FT.

HS 1042 WINDOW GLAZING POCKET VINYL FOR 3/16" GLASS


- Takes 3/16" thick glass
- Intended for Single-Pane Windows Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded with 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1042B	3/16" (5 MM)	1/4" (6 MM)	1/4" (6 MM)	1,000 FT.

HS 1125 PATIO DOOR GLAZING POCKET VINYL FOR 3/16" GLASS


- Takes 3/16" Thick Glass
- Intended for Single-Pane Patio Door Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded With 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1125B	3/16" (10 MM)	5/16" (8 MM)	7/16" (11 MM)	500 FT.

HS 1288 WINDOW GLAZING POCKET VINYL FOR 1/8" GLASS (DOUBLE STRENGTH)**BEST SELLER**


- Takes 1/8" Thick Glass (Double Strength)
- Intended for Single-Pane Windows Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded With 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1288B	1/8" (6 MM)	3/16" (5 MM)	5/16" (8 MM)	575 FT.

HS 1260 WINDOW GLAZING POCKET VINYL FOR 1/4" GLASS (PLATE GLASS)


- Takes 1/4 Thick Glass (Plate Glass)
- Intended for Single-Pane Windows Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded With 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1260B	1/4" (6 MM)	5/16" (8 MM)	3/8" (10 MM)	1,000 FT.

HS 1518 PATIO DOOR GLAZING POCKET VINYL FOR 1/4" GLASS (PLATE GLASS)

- Takes 1/4" Thick Glass (Plate Glass)
- Intended for Single-Pane Patio Door Application
- Glazing Vinyl Supports and Cushions the Glass in the Frame
- Extruded With 100% Virgin Vinyl



ITEM NO.	A	B	C	LENGTH
VP1518B	1/4" (6 MM)	3/8" (10 MM)	5/16" (8 MM)	1,000 FT.



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS 1361 UNIVERSAL PUSH / ROLL-IN STOREFRONT GASKET / VINYL


- Universal Roll-in Store Front Vinyl is a Non-Stretch Black Vinyl Which Was Developed to Work in Most Store Front Pocket Glazed Extrusions
- The Security Legs Were Designed to Grip Tightly in Many Different Manufacturers Extrusions



ITEM NO.	A	B	LENGTH
CV136138	3/8" (10 MM)	1/2" (13 MM)	400 FT.
CV136112	1/2" (12 MM)	1/2" (13 MM)	400 FT.
CV1361916	9/16" (14 MM)	1/2" (3 MM)	250 FT.
CV136158	5/8" (16 MM)	1/2" (3 MM)	120 FT.

HS 1071 UNIVERSAL ROLL-IN FRONT LOAD STOREFRONT VINYL GASKET

- This Back Load is Compatible With HS Storefront Aluminum Systems 100, 200, 300 & 400 Series



- Universal Roll-in Storefront Vinyl is a Non-Stretch Black Vinyl Developed to Fit Most Storefront Systems

ITEM NO.	A	B	LENGTH
CV107134	1/4" (6 MM)	3/8" (10 MM)	1,000 LINEAR FT.
CV107157	5/16" (8 MM)	1/2" (12 MM)	500 LINEAR FT.


HS BLACK BULB TYPE GASKET FOR DOOR & WINDOW

- This Back Load is Compatible With HS Storefront Aluminum Systems 100, 200, 300 & 400 Series
- Used with HS M-31 Sash System
- Flexible Black Silicone With a Hollow Tubular Bulb for Compression Sealing and an Integrated T-Shaped Foot/Fin for Channel Mounting



ITEM NO.	A	B	C	LENGTH
DWSBTB	5/16" (8 MM)	5/16" (8 MM)	3/16" (5 MM)	750 FT.

HS 5429 UNIVERSAL TOP LOAD GASKET STOREFRONT VINYL




- Used for Both Interior and Exterior Glazing.
- Used for Shoe BASE Applications to Infill Gap Between Glass & Shoe
- This is a Top-load Gasket and is Used When Glazing 3/8" Infills

ITEM NO.	A	B	C	LENGTH
VCTLOAD	9/16" (14 MM)	3/8" (10 MM)	1/4" (6 MM)	500 FT.

HS HS 2651 UNIVERSAL SIDE / BACK LOAD STOREFRONT VINYL GASKET





- This Back Load is Compatible With HS Storefront Aluminum Systems 100, 200, 300 & 400 Series
- Used for Both Interior and Exterior Glazing of 1/4" and 1" (6 and 25 Mm) Glass
- Also Referred to as Pull-in Gasket Used In Place of Silicone Sealant When Glazing Glass



ITEM NO.	A	B	C	D	LENGTH
VCSLOAD	1/4" (6 MM)	3/16" (5 MM)	1/8" (3 MM)	3/8" (10 MM)	400 FT.

HS GLASS TRUCK TRACK RAILS WITH VINYL



- Made of Anodized Aluminum, Wont Rust or Split
- 7/16" Wide Vinyl Insert Strips Cushion The Glass

ITEM NO.	LENGTH	WIDTH	FINISH / COLOR
GTR12C	12 FT.	5-1/2"	CLEAR ANODIZED
TRVG100	100 FT.	7/16"	GRAY
TRVG750	750 FT.	7/16"	GRAY



HARDWARE SOLUTIONS LLC
 1690 W Frontage Rd, Chula Vista, CA 91911
 Direct: (619) 737-9999 | Text: (619) 796-6088
 Email: info@glahs.com | www.hardwareolutions.com

HS SINGLE PANE ALUMINUM WINDOW GUIDE



- Available in 72" Long Pieces or 2" Long Cut Pieces (Bags of 1,000)
- Rigid PVC Guide is Designed for Old International Window Single Pane Windows or Ventana California

ITEM NO.	WIDTH	LENGTH	QTY	COLOR
73WVCG	3/16" (21 MM)	72"	BOX OF 100	BLACK

HS BLUE VINYL TOOL ROLLER



BEST SELLER


- Equipped With a Ball-Bearing Wheel With & Knurled Diamond-pattern Grip, Ensuring a
- Secure Hold & Smooth, Even Pressure Application
- Specially Designed for Inserting Glazing Vinyl, Gaskets, and Seals Into Window Assemblies and Heavy Aluminum Base Shoes
- Features a Unique Handle Shape for Comfortable One-Handed or Two-Handed Operation, Reducing Fatigue During Long Projects

ITEM NO.	LENGTH	COLOR
VTR11	11"	BLUE


HS KERF WEATHERSTRIP FOAM DOOR SEAL

- Features an Integrated Rigid Pvc or Specialized Backing Flange (Barb) Designed to Push-Fit Securely Into a Pre-Cut Slot (Kerf) in the Door Jamb Without Needing Staples or Liquid Adhesives
- Wrapped in an Embossed, Tear-Resistant, Low-Friction Polyethylene (PE) Film/Cover
- High-Density, Resilient Polyurethane (Pu) or Open-Cell Soft Foam That Provides Excellent Memory Compression, Allowing It to Quickly Bounce Back to Its Original Shape After Being Compressed

ITEM NO.	LENGTH	COLOR
KWS7BK	7 FT.	BLACK
KWS8BK	8 FT.	BLACK
KWS10BK	10 FT.	BLACK
KWS10BZ	10 FT.	BRONZE
KWS10W	10 FT.	WHITE




HS RIGID GLAZING VINYL PVC WINDOW GRID



- The Grid Can Be Used by Itself or in Conjunction With Either Low or High Profile Step Grid's When the Back Side of a Sliding Glass Window Does Not Have Enough Clearance to Accept a Step Grid on Both Sides

ITEM NO.	WIDTH	LENGTH	QTY	COLOR
WG34W	3/4" (19 MM)	10 FT.	BOX OF 300	WHITE

HS NEOPRENE BLACK SETTING BLOCK



ITEM NO.	THICK	SIZE	QTY
NSB11612	1/16"	1/2" X 2	BAG OF 100
NSB1161	1/16"	1" X 2	
NSB181	1/8"	1" X 2	
NSB141	1/4"	1" X 2	
NSB1414	1/4"	1/4" X 2	
NSB1438	1/4"	3/8" X 2	
NSB3812	3/8"	1/2" X 2	
NSB1212	1/2"	1/2" X 2	
BSB3812	3/8"	1/2" X 2	

- Bulk Boxes of 1,000
- Neoprene Setting Blocks Are Essential Glazing Components Used to Center, Level, and Cushion Glass Panels
- They Safely Hold Heavy Glass Loads, Protect Edges From Hitting Hard Metal Channels, & Prevent Breaking From Building Shifts or Heavy Winds



Visit www.hardware-solutions.com or Scan QR Code with your smart phone to view our online catalog.

HS DOW 795 STRUCTURAL SILICONE SEALANT



★ More Finishes Available Upon Special Order

- One-Part, Neutral-Curing, Medium-Modulus Silicone Sealant Designed for High-Performance Structural Glazing and Curtainwall Weathersealing
- Provides Excellent Adhesion to Glass, Metal, and Plastic, Allowing For Significant Movement (±50%) and High Wind-Load Resistance

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
795BK	CARTRIDGE	10.1 OZ	BLACK	12
795SBK	SAUSAGE	20 OZ	BLACK	16
795G	CARTRIDGE	10.1 OZ	GRAY	12
795W	CARTRIDGE	10.1 OZ	WHITE	12

HS WD40 LUBRICANT CAN



- WD-40 Uses a Unique and Reliable Formula That Purges Grease, Grime, and Rust From Any Hard Surface
- It Works by Displacing Moisture, Effectively Shielding Metal Against Water and Other Corrosive Elements

CLAVE	FL OZ.	QTY
WD4012	12 OZ	BOX OF 12

