

SECTION B

SEALANTS & TAPES

- Acrylic Latex Caulking
- Polyurethane Sealants
- Silicone Sealants
- Mirror Mastic Adhesive
- Construction Tape
- Foam Tape
- Glazing Tape
- Packaging Tape
- Safety Backing Tape
- Stretch Wrap Film
- Glazing Putty
- Door & Window Expansion Foam
- Caulking Guns
- Caulking, Cones & Sausage



Commercial & Residential Contractor Supply House

HS HARDWARE SOLUTIONS

Glass • Windows • Aluminum • Doors • Mouldings • Tools • Screens • Accessories



HARDWARE SOLUTIONS LLC

1690 W Frontage Rd, Chula Vista, CA 91911

Direct: (619) 737-9999

Text: (619) 796-6088

Email: info@glahs.com

www.hardwareolutions.com

HS TITEBOND "PAINTERS" MULTI-PURPOSE ACRYLIC LATEX CAULKING



★ More Finishes Available Upon Special Order

- High-Performance, Water-Based Sealant Combining The Easy Application of Latex With Enhanced Flexibility and Adhesion From Added Silicone
- Designed For Sealing Gaps, Joints, and Cracks in Interior/Exterior Applications, Offering Paintability, Mildew Resistance, and Water Cleanup
- Offers Excellent Adhesion to Wood, Metal, Glass, Tile, Concrete, Brick, and Drywall

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
LTXPW	CARTRIDGE	10.1 OZ	WHITE	12

HS 877 FOAM & METAL SUPER SPACER INSULATED GLASS SEALANT



- High-Performance, One-Part, Low-Solvent Urethane Sealant Designed For Creating Durable, Single-Seal Insulating Glass Units
- Specifically Compatible With Super Spacer® and Adsorbent-Filled Aluminum Spacers, Offering a Fast 45–60 Minute Tack-Free Time Without Requiring A Polyisobutylene Primary Seal
- Ideal for Fabricating Insulating Glass Units, Particularly for Bonding, Sealing, and Repairing

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
SSSBK	CARTRIDGE	10.1 OZ	BLACK	12

HS TITEBOND SILICONIZED ACRYLIC LATEX CAULKING



BEST SELLER



★ More Finishes Available Upon Special Order

- High-Performance, Siliconized Acrylic Latex Sealant for Interior/Exterior Use
- Designed to Be Easily Painted In 2 Hours,
- Tools Easily, and Provides A Durable, Crack-Proof, and Water-Resistant Seal
- Ideal for Filling Gaps, Cracks, and Joints Around Trim, Baseboards, Doors, and Windows
- Adheres Well to Wood, Metal, Glass, Masonry, & Drywall

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
LTXA	CARTRIDGE	10.1 OZ	ALMOND	12
LTXBK		10.1 OZ	BLACK	12
LTXG		10.1 OZ	GRAY	12
LTXW		10.1 OZ	WHITE	12

HS TREMCO VULKEM 116 POLYURETHANE SEALANT



BEST SELLER



★ More Finishes Available Upon Special Order

- High-Performance, Single-Component, Moisture-Curing, Gun-Grade Polyurethane Sealant Designed for Exterior, Professional-Grade Sealing
- Commonly Used for Sealing Expansion Joints, Concrete, Masonry, and Window/Door Perimeters Due to its Flexibility (±25% Movement), and Superior Adhesion
- Bonds Strongly to Concrete, Masonry, Metal, and Wood

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
VULG	CARTRIDGE	10.1 OZ	GRAY	30
VULW		10.1 OZ	WHITE	30



Visit www.hardware-solutions.com or Scan QR Code with your smart phone to view our online catalog.

HS DOW 795 STRUCTURAL SILICONE SEALANT



★ More Finishes Available Upon Special Order

- One-Part, Neutral-Curing, Medium-Modulus Silicone Sealant Designed for High-Performance Structural Glazing and Curtainwall Weathersealing
- Provides Excellent Adhesion to Glass, Metal, and Plastic, Allowing For Significant Movement ($\pm 50\%$) and High Wind-Load Resistance

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
795BK	CARTRIDGE	10.1 OZ	BLACK	12
795SBK	SAUSAGE	20 OZ	BLACK	16
795G	CARTRIDGE	10.1 OZ	GRAY	12
795W	CARTRIDGE	10.1 OZ	WHITE	12


HS GUNTHER MIRROR MASTIC ADHESIVE



- High-Quality, Professional-Grade Adhesive Designed Specifically For Creating A Strong, Permanent, and Non-Corrosive Bond Between Mirrors (Glass and Some Acrylic) and Various Surfaces, Including Drywall, Wood, Metal, Glass, Marble & Tile
- Flexible, Preventing Brittle Breakage, and Supports Heavy, Long-Term Installations

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
MMGC	CARTRIDGE	10.1 OZ	CREAM	24

HS PALMER MIRROR MASTIC ADHESIVE



- Adhere Plate Glass and Acrylic Mirror to a Wide Range of Substrates
- Absorbs Normal Vibration and Allows for Movement Due to Normal Thermal Changes
- Can be Used on Reinforced Safety Backing

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
MMPC	CARTRIDGE	11 OZ	BLACK	24
MMPG	GALLON CAN	1 GAL (128 OZ)		4

HS TREMCO TREMSIL 200 SILICONE SEALANT



★ More Finishes Available Upon Special Order

- A One-Part, Acetoxy-Cure Silicone Sealant That Cures to a Flexible, Water-Resistant Rubber Upon Exposure to Atmospheric Moisture. Includes Fungicides to Inhibit Mold and Mildew, **Making it Ideal for Shower Door Applications**
- Designed For, and Commonly Used On, Non-Porous Surfaces Such as Glass, Metal, and Ceramic, It is Well Suited For Sealing Showers, Sinks, Spas, Backsplashes, and Window Glazing
- Features $\pm 25\%$ Movement Capability, a Fast 20-Minute Skin Time

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
TSILC	CARTRIDGE	10.1 OZ	CLEAR	30



HARDWARE SOLUTIONS LLC
 1690 W Frontage Rd, Chula Vista, CA 91911
 Direct: (619) 737-9999 | Text: (619) 796-6088
 Email: info@glahs.com | www.hardwareolutions.com

HS UA1300 TREMCO TREMGLAZE URETHANE ACRYLIC SEALANT



★ More Finishes Available Upon Special Order

- High-Performance, Single-Component Urethane Acrylic Sealant Designed For Residential Window and Door Installations
- Offers A Permanently Flexible, Paintable Seal With Excellent UV Resistance, Mildew Protection, and Adhesion to Substrates Like Wood, Metal, Vinyl, and Foam Board
- Used For Interior or Exterior Caulking

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
1300C	CARTRIDGE	10.1 OZ	CLEAR	30
1300W		10.1 OZ	WHITE	

HS TREMCO TREMSIL S1400 SILICONE SEALANT



★ More Finishes Available Upon Special Order

- High-Performance, Single-Component, Neutral-Cure, Medium-Modulus Silicone Sealant Designed for Watertight Perimeter Sealing Of Windows, Doors, and Frames In Residential, Wood, Vinyl, and Brick Substrates
- Offers Up to 40% Movement Capability, Low Vocs, and Requires No Mixing
- Adheres to Wood, Brick, Vinyl, and Other Common Residential Materials

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
1400BK	CARTRIDGE	10.1 OZ	BLACK	30
1400SBK	SAUSAGE	20.3 OZ	BLACK	15
1400W	CARTRIDGE	10.1 OZ	WHITE	30

HS DYMONIC FC HYBRID SEALANT



**BEST
SELLER**



★ More Finishes Available Upon Special Order

- Weather/UV Resistant: Resists Degradation From UV Exposure, Water, and Extreme Temperatures. **Ideal for Vinyl & Aluminum Window Installation/Waterproofing**
- Superior Adhesion: Adheres Strongly to Damp or Dry Concrete, Masonry, and Aluminum Without Primer in Most Cases
- Fast Curing: Skins in ~1 Hour, Reduces the Risk of Wash-Off, and Cures in 3–7 Days, Even in Cold Temperatures
- High Movement Capability: Withstands $\pm 35\%$ Joint Movement, Making It Ideal for Joints Subject to Thermal Expansion and Contraction
- Durability: Provides a Permanent, Flexible Seal That Will Not Crack
- Paintable: Paintable, but Only After It Has Fully Cured. Recommended Water-Based Acrylic or Latex Paints Generally Work Best

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
1600A	CARTRIDGE	10.1 OZ	ALMOND	30
1600SA	SAUSAGE	20.3 OZ		15
1600BK	CARTRIDGE	10.1 OZ	BLACK	30
1600SBK	SAUSAGE	20.3 OZ		15
1600BZ	CARTRIDGE	10.1 OZ	BRONZE	30
1600G	CARTRIDGE	10.1 OZ	GRAY	30

ITEM NO.	TYPE	FL OZ.	COLOR	QTY
1600S	CARTRIDGE	10.1 OZ	SANDSTONE	30
1600SS	SAUSAGE	20.3 OZ		15
1600NC	CARTRIDGE	10.1 OZ	NATURAL CLAY	30
1600SNC	SAUSAGE	20.3 OZ		15
1600W	CARTRIDGE	10.1 OZ	WHITE	30
1600SW	SAUSAGE	20.3 OZ		15



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

**HS HARDWARE
SOLUTIONS**



**HS TRANSPARENT WATER CLEAR
ADHESIVE TAPE****BEST
SELLER**

- Will Not Absorb Moisture
- Instant Pressure Sensitive Bonding
- Will Not Harden or Become Brittle With Age
- Maintains Adhesion at Sub-Zero Temperatures
- Long Life Performance and High Bond Strength

ITEM NO.	WIDTH	THICKNESS	LENGTH	QTY
WCT14S	1/4"	.020"	20 FT.	24
WCT14L	1/4"			24

HS 1/4" SINGLE SIDED FOAM TAPE

- Withstands Wear and Abrasion
- Resistance to Fungi, Weather, and Oxidation
- Designed for Sealing, Cushioning, and Insulation
- Allows for Clean Die-Cuts and Fastener Penetration

ITEM NO.	WIDTH	THICKNESS	LENGTH	QTY
SSF1BK	1/4"	1"	35 FT.	24
SSF2BK	1/4"	1/2"		24
SSF3BK	1/4"	1/4"		24
SSF4BK	1/4"	3/4"		24
SSF5BK	1/4"	3/8"		24

HS DOUBLE SIDED FOAM GLAZING TAPE**BEST
SELLER**

- Available in Black and White
- Excellent Adhesion to Wood, Vinyl, Aluminum, and Glass
- Resistance to Weathering, Oxidation, and UV Exposure

ITEM NO.	WIDTH	THICKNESS	LENGTH	COLOR
DSF1BK	1/2"	1/16"	150 FT.	BLACK
DSF1W				WHITE
DSF2BK	3/8"			BLACK
DSF2W				WHITE
DSF3BK	1/2"	1/8"	75 FT.	BLACK
DSF3W				WHITE
DSF4BK	3/8"			BLACK
DSF4W				WHITE

HS NORTON STRUCTURAL GLAZING TAPE

- High-Performance, Semi-Rigid, Open-Cell Polyurethane Foam Spacer Designed For 2- and 4-Sided Structural Silicone Glazing Systems
- Acts as a Spacer for Joint Dimension Control, Allowing Silicone to Cure Properly While Offering Thermal Break Properties to Reduce Heat Transfer

ITEM NO.	WIDTH	THICKNESS	LENGTH	QTY
NSGT14BK	1/4"	1/4"	50 FT.	40
NSGT38BK	3/8"			40



HS PAINTERS BLUE TAPE



- Specialized, Low-Tack Masking Tape Designed For Painting Projects to Create Sharp Lines and Protect Surfaces
- Removes Cleanly For 7-14 Days Without Damaging Cured Paint, Drywall, or Leaving Sticky Residue
- It is Ideal for Masking Trim, Walls, Glass, and Metal

ITEM NO.	WIDTH	LENGTH	QTY
BT2	2"	180 FT.	24
BT34	3/4"		48

HS MULTI-PURPOSE MASKING TAPE



- Versatile, Crepe-Paper Adhesive Tape Designed for Light-Duty, Non-critical Applications, Including Interior Painting, Bundling, Labeling, and Holding
- Features Moderate Adhesion for Easy, Clean Removal on Surfaces Like Wood, Metal, and Glass, Making It Ideal for, General-Purpose Projects

ITEM NO.	WIDTH	LENGTH	QTY
MT2	2"	180 FT.	24
MT34	3/4"		48

HS MULTI PURPOSE DUCT TAPE



- Flexible and Versatile
- Highly Aggressive Adhesive
- 9.0 Mill Thickness and 180 ft. Roll Length
- Adheres to a Wide Variety of Surfaces With a Broad Temperature Range

ITEM NO.	WIDTH	LENGTH	QTY
DT2	2"	180 FT.	24

HS MULTI PURPOSE PACKAGING TAPE



- For Normal Shipping Applications
- Strong Solvent Acrylic Adhesive Resists Aging and Works in Cold Temperatures
- Polypropylene Film Resists Tears and Splits
- Clear Tape Allows for Label Protection and Visibility

ITEM NO.	WIDTH	LENGTH	QTY
CT2	2"	180 FT.	24



Visit www.hardwareolutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS CLEAR STRETCH WRAP FILM



- Sun Protection
- Tamper Resistance
- Quiet, Clear Cast Stretch Wrap
- Easy Release, Rolls on Smoothly
- Keeps Load From Shifting During Shipping and Transport.
- Dust and Moisture Protection
- Shrinks Tightly With Heat



ITEM NO.	WIDTH	LENGTH	GAUGE	QTY
SW01	18"	1,500 FT.	.70 G	4
SW02	3"	1,000 FT.		8
SW03	5"	1,000 FT.		12

HS BACKER ROD



- Lightweight
- Water Resistant
- Non-exuding
- Use With Cold-Applied Sealants
- Inert
- Recyclable

Closed-Cell, Polyethylene Foam Backer Rod Joint Filler That is Used as a Backing Material for Elastomeric and Other Cold-applied Sealants. It Helps the Sealant Assume the Optimum Shape To Prolong Service Life and Acts as a Barrier to the Flow of Sealant Through the Joint

ITEM NO.	SIZE	QTY
BR34	3/4" LINEAR FT.	P/ FOOT

HS CAT 2 SHATTERPROOF SAFETY BACKING TAPE FOR MIRRORS



- Ready to Use and Easy-to-Apply
- Keeps Glass Fragments From Causing Serious Bodily Damage Should Mirror Be Accidentally Broken

ITEM NO.	WIDTH	LENGTH	QTY
SB36	36"	650 FT.	20
SB48	48"		20
SB60	60"		20

HS TITEBOND X-TREME SPRAY FOAM MULTI PURPOSE



- 3X Expansion Rate For High Yield and Sets in Just 5 Minutes
- Used Mainly for Window Installations
- High-Performance, One-Component Polyurethane Sealant Designed to Seal, Fill, And Insulate Gaps in Extreme Temperatures

ITEM NO.	TYPE	FL OZ.	QTY
FM12	TRIPLE EXPANSION	12 OZ	12

HS TITEBOND X-TREME SPRAY FOAM



- X-Treme Temperatures 0° To 100°F
- Used Mainly for Window Installations
- Resists Moisture and Mold Problems
- Quick Setting – 5 Minutes
- 18 Month Shelf Life
- X-Treme Foam Dispenser Gun Required*

ITEM NO.	TYPE	FL OZ.	QTY
FM24B	REGULAR EXPANSION	24 OZ	12
FM24R	TRIPLE EXPANSION		



HARDWARE SOLUTIONS LLC
 1690 W Frontage Rd, Chula Vista, CA 91911
 Direct: (619) 737-9999 | Text: (619) 796-6088
 Email: info@glahs.com | www.hardwareolutions.com

**HS PROFESSIONAL REVOLVING
BARREL CAULKING GUN****BEST
SELLER**

- Stops Caulk From Flowing or Dripping
- Provides Maximum Control in Hard to Reach Areas
- Integrated Spout Cutter, Seal Punch & Ladder Hook

ITEM NO.	THRUST RATIO
CGPRB	10:1

**HS SKELETON CAULKING GUN
GENERAL PURPOSE**

- Lightweight, Open-Frame, Hand-Operated Tool Designed for Applying Adhesives, Sealants, and Caulks From Standard 10 Oz Cartridges

ITEM NO.	THRUST RATIO
CGSGP	10:1 LIGHT DUTY

HS NEWBORN 820 SAUSAGE CAULK GUN

- Designed for Professionals
- Handles 20 oz/10 oz Sausage Packs, 24 oz Bulk, and 10 oz/8-12" Cartridges
- Features a Durable Aluminum Barrel, Comfortable Rubber Grip, and a Smooth, Efficient Rod for Handling High-Viscosity Materials

ITEM NO.	THRUST RATIO
CGN820S	22:1

HS 9" EXTREME DUTY CAULKING GUN

- Ergonomic Rubber
- Trigger and Push Release
- Includes Revolving Barrel
- Includes Seal Punch & Ladder Hook

ITEM NO.	THRUST RATIO
CGED	26:1 - 950 LBS OF FORCE

HS NEWBORN 420 SAUSAGE CAULK GUN

- Professional-Grade 20 oz. Aluminum Sausage Caulk Gun Designed For Applying Sausage Packs, Bulk, or Cartridges
- Includes a Ladder Hook, Multiple Nozzles, and a Durable Design for Efficient, High-Volume Sealing

ITEM NO.	THRUST RATIO
CGN420S	12:1 TO 18:1

**HS PROFESSIONAL TITEBOND
X-TREME FOAM DISPENSER GUN****BEST
SELLER**

- Professional-Grade, Heavy-Duty Metal Applicator Designed For Precise Control of Polyurethane Foam Sealants
- Features a Non-stick Teflonized Basket
- Allows for Adjustable Bead Control and Includes an Instant Shut-Off to Minimize Mess and Waste

ITEM NO.	SIZE
TBFDG	50 LB (FOR INTERIOR-RED COLOR)



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS WHITE PLASTIC THIN CONE

- Solvent Resistant
- Allows for Adjustable Bead Control
- Includes a Non-stick Teflonized
- Basket and Needle Valve
- These Versatile Cone Tips Can Be Cut to Your Desired Angle and Size, Ensuring a Perfect and Consistent Bead Across All Surfaces



ITEM NO.	DESCRIPTION
SGCONEW	PLASTIC NOZZLE WHITE FINE TIP

HS THICK YELLOW PLASTIC CONE

- Bulk Nozzle That Can Be Cut to Size to Produce a 3mm to 13mm Bead and Has No Graduation Marings



ITEM NO.	DESCRIPTION
SGCONEY	REPLACEMENT CONE FOR SAUSAGE GUN

HS BLUE PLASTIC BENT CONE



- Nozzles Are Bent at 45 Degree Angle to Give You Additional Reach and the Ability to Get Around Corners

ITEM NO.	DESCRIPTION
SGCONEB	REPLACEMENT CONE OR SAUSAGE GUN

HS DAP GLAZING PUTTY



- Ideal for Wood or Metal Sash
- Forms an Airtight, Watertight Seal
- Perfect for Both Interior and Exterior Use



ITEM NO.	FL OZ.	QTY
DAP33HP	HALF PINT (8 OZ)	(12 PER BOX)
DAP33P	PINT (16 OZ)	(12 PER BOX)
DAP33Q	QUART (32OZ)	(6 PER BOX)
DAP33G	GALLON (128 OZ)	(2 PER BOX)

HS SCRAPER & PRY BAR



- Specifically Designed to Handle Heavy-Duty Prying, Paint Scraping, and Nail Pulling Without Bending

ITEM NO.	LENGTH	FINISH
PRY9	9"	HARDENED TEMPERED STEEL

HS 6 IN 1 PAINTERS TOOL RED DEVIL



- Gouger, Scraper, Putty Remover, Spreader, Roller Cleaner & Nail Setter
- Black Nylon Handle Will Provide Years of Dependability
- High Carbon, Precision Ground Steel Blade

ITEM NO.	FINISH
PT61RD	STAINLESS STEEL / LACQUERED BLADE

