

SECTION G

SHOWCASE & SHELVING

- Showcase Extrusions
- Showcase Tracks
- Showcase Track Rollers
- Showcase Track Guides
- Showcase Finger Pulls
- Showcase Locks
- International Series Shelving & Accessories
- Stereo Hinges & Accessories
- International Continuous Piano Hinges



Commercial & Residential Contractor Supply House



Glass • Windows • Aluminum • Doors • Mouldings • Tools • Screens • Accessories



HARDWARE SOLUTIONS LLC

1690 W Frontage Rd, Chula Vista, CA 91911


Direct: (619) 737-9999

Text: (619) 796-6088

Email: info@glahs.com

www.hardwareolutions.com


HS SHOWCASE HEADER EXTRUSION



- Critical Structural Aluminum Profile Used at the Top of Sliding Glass Showcase, Cabinet, or Display Systems
- Engineered to Allow Sliding Panels to Be Lifted Up Into the Frame for Easy Installation or Removal From the Bottom Rails

ITEM NO.	WIDTH	HEIGHT	LENGTH	FINISH / COLOR
SHE1BZ	1-3/16"	13/16"	12 FT.	DARK BRONZE ANODIZED
SHE1C	(30 MM)	(20.5 MM)		SATIN ANODIZED


HS SHOWCASE SHOE EXTRUSION (H-BAR)



- Core Component Used to Build & Stabilize Sliding Glass Door Systems
- Upper Pocket Holds and Secures the Bottom Edge of a Glass Panel
- Lower Pocket Conceals and Houses Rolling Hardware

ITEM NO.	WIDTH	HEIGHT	LENGTH	FINISH / COLOR
SHE2BZ	5/16"	1"	12 FT.	DARK BRONZE ANODIZED
SHE2C	(8 MM)	(25.4 MM)		SATIN ANODIZED

HS SHOWCASE BOTTOM TRACK EXTRUSION



- Designed for Sliding Glass Door Installations, Showcase Build-Outs, and Commercial / Industrial Window Assemblies
- Functions as a Low-Profile Base Track That Guides Sliding Components Smoothly Along a Bottom Surface

ITEM NO.	WIDTH	HEIGHT	LENGTH	FINISH / COLOR
SHE3BZ	1-3/16"	1/4"	12 FT.	DARK BRONZE ANODIZED
SHE3C	(30 MM)	(6.35 MM)		SATIN ANODIZED


HS SHOWCASE SHOE TRACK ROLLERS



- For 1/4" Thick Doors Only
- Fits Into Bottom of H-Bar Shoe Extrusion
- Nylon Rollers Are Utilized For Light-to-Medium Applications While Ball-Bearing Rollers Are Used For Larger, Heavier Glass Doors

ITEM NO.	MATERIAL	WEIGHT CAP.	FINISH
SHRM	STEEL BALL BEARING ROLLER	15 LBS.	ZINC
SHRN	NYLON ROLLER	20 LBS.	


HS SHOWCASE HEADER PLASTIC TRACK GUIDE



- Prevents 1/4" Glass Doors from Rattling
- Attaches to the Top of the Glass Doors
- Guides Center the Door Glass Securely in the Upper Channel

ITEM NO.	WIDTH	HEIGHT	LENGTH	QTY
SHTG	1/2" (13MM)	3/8" (9.5 MM)	7/8" (22 MM)	PACK OF 10

HS SHOWCASE STICK-ON FINGER PULL



- Ideal For Glass or Mirrored Surfaces Where You Want to Avoid Drilling
- Features A Pressure-Sensitive Adhesive Backing For Easy Application



ITEM NO.	WIDTH	LENGTH	THICKNESS	QTY
SHFP	3/4" (19 MM)	2-3/4" (70 MM)	1/8" (3.2 MM)	BAGS OF 10



Visit www.hardwaresolutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS SHOWCASE PUSH BUTTON PLUNGER LOCK



- Available in Boxes of 12
- High Security Cylinder
- One-Touch Push Action
- Ideal for Sliding Glass & Metal Displays



ITEM NO.	DESCRIPTION	FINISH / COLOR
SHLB	PUSH LOCK KEYED ALIKE	CHROME PLATED

HS SHOWCASE RATCHET TYPE LOCK



- Two-piece Security Solution Designed Specifically For Bypass Sliding Doors
- Commonly Found In Retail Display Cases And Trophy Cabinets
- This Convenient Lock Requires no Fabrication to the Metal or Glass



ITEM NO.	GLASS SIZE	FINISH / COLOR
SHLR	1/4" (6.35 MM) TO 5/16" (8 MM)	CHROME

ITEM NO.	SIZE	COLOR
52B4	4"	BLACK
52B6	6"	
52ZB8	8"	
52B10	10"	
52B12	12"	
52B14	14"	
52B16	16"	
52B18	18"	
52B20	20"	
52B22	22"	
52B24	24"	

ITEM NO.	SIZE	COLOR
52Z4	4"	ZINC
52Z6	6"	
52Z8	8"	
52Z10	10"	
52Z12	12"	
52Z14	14"	
52Z16	16"	
52Z18	18"	
52Z20	20"	
52Z22	22"	
52Z24	24"	

HS INTERNATIONAL SHELVING SUPPORT BRACKETS



- Fits 1/4" Glass
- Constructed of 14 Gauge Steel
- Max Weight Capacity of 320 Lbs.
- Reinforced Brackets Lock Into the Slotted Standard for Strong, Secure Weight-Bearing Support
- Specially Designed for International **53Z Series Shelving Standards**



53Z Series Shelving Standard

HS INTERNATIONAL SHELVING SUPPORT STANDARDS



- These Are 5/8" Wide By 3/16" Deep And Constructed From Zinc-plated Steel
- They Are Designed For Surface Or Recess Mounting In Bookcases And Cabinetry

ITEM NO.	SIZE	COLOR
53B12	12"	BLACK
53B24	24"	
53B36	36"	
53B48	48"	
53B60	60"	
53B72	72"	
53B96	96"	

ITEM NO.	SIZE	COLOR
53Z12	12"	ZINC
53Z24	24"	
53Z36	36"	
53Z48	48"	
53Z60	60"	
53Z72	72"	
53Z96	96"	



52Z Series Shelving Bracket

- Specially Designed for International **52Z Series Shelving Support Brackets**
- Adjustable in 1" Increments



HARDWARE SOLUTIONS LLC

1690 W Frontage Rd, Chula Vista, CA 91911

Direct: (619) 737-9999 | Text: (619) 796-6088

Email: info@glahs.com | www.hardware-solutions.com

HS INTERNATIONAL STANDARD BOTTOM SOCKET




- Socket Prevents the Shelving Standard From Shifting, Wobbling, or Kicking Out Under Heavy Shelf Loads
- Physically Caps and Locks the Bottom End of the Vertical Steel Standard in Place
- Specially Designed for International **53Z Series Shelving Standards**



ITEM NO.	CONFIGURATION	MATERIAL
SSBS	BOTTOM	METAL

HS INTERNATIONAL SHELVING SHELF REST FOR GLASS



- Snaps Into the Rear Center Notch of a Shelf Bracket
- Serves as a Cushioned Rest for the Back Edge of the Shelf While Providing a Molded Structural "Lug" or Vertical Tab

ITEM NO.	CONFIGURATION	FINISH / COLOR	QTY
SCBR	BACK REST W/ DIVIDER	CLEAR ACRYLIC	PACK OF 100

HS STEREO HINGE PIVOT



- Mounts Directly Over the Glass Corners Without Requiring Fabrication or Holes Drilled Into the Glass Panels
- Utilizes Plastic-Tipped Pressure Retention Screws That Tighten Against a Protective Backing Pad to Clamp the Glass Securely Without Cracking It

ITEM NO.	GLAZING THICKNESS	FINISH / COLOR	QTY
SHPCH	3/16" (5 MM) TO 1/4" (6 MM)	CHROME	SET OF 2
SHPBK		BLACK	

HS INTERNATIONAL STANDARD TOP SOCKET



- Top Socket is Installed at the Top Frame or Wall to Fasten the Upper Portion of the Standard, Preventing Movement and Ensuring the Stability of Brackets and Shelves
- Specially Designed for International **53Z Series Shelving Standards**

ITEM NO.	CONFIGURATION	MATERIAL
SSTS	TOP	METAL

HS RUBBER CUSHION REST



- Made Of 12-Gauge Rubber Construction
- Acts as a Cushion and Buffer to Protect and Hold Glass or Wood Shelves Securely in Place, Preventing Slippage or Scratching

ITEM NO.	DIAMETER	MATERIAL	COLOR
SRCR	1/2" (13 MM)	SOFT RUBBER	GRAY

HS SHOWCASE MAGNETIC DOUBLE LATCH



SMDLBK



- Latch Uses Strong Magnets to Keep Doors Aligned and Shut While Releasing Smoothly With Slight Finger Pressure

(Sold as Eaches, Available in Boxes of 25)

HS SHOWCASE MAGNETIC STRIKE PLATE



- For 3/16" - 1/4" Glazing Glass
- Easy installed by sliding over the top or bottom edge of door

ITEM NO.	WIDTH	LENGTH	FINISH / COLOR	QTY
SMDLBK	1-3/8"	2-5/16"	GLOSS BLACK	BOX OF 25
SSPBK	1-9/16"	1-3/5"	GLOSS BLACK	BOX OF 25
SSPCH		1-3/5"	CHROME	BOX OF 25



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS INTERNATIONAL CONTINUOUS PIANO HINGE



- Designed to Run the Full Length of a Door, Lid, or Panel, Providing Consistent Weight Distribution and Alignment Across the Entire Joint
- Hinges Can Be Cut to Size in the Field if a Shorter Length is Required
- Standard Lengths Come With Countersunk Screw Holes Spaced 2" Apart on Center

*Special Finishes, Widths & Stainless Steel Available Upon Request

ITEM NO.	GAUGE	WIDTH	LENGTH	FINISH / COLOR
74PH6	0.04"	1"	72"	ALUMINUM
74PH7	0.04"	1"		BLACK ANODIZED



HARDWARE SOLUTIONS LLC
1690 W Frontage Rd, Chula Vista, CA 91911
Direct: (619) 737-9999 | Text: (619) 796-6088
Email: info@glahs.com | www.hardwareolutions.com