


SECTION N

SHOWER DOOR POLYCARBONATES

- Snap-On Glass Polycarbonates
- Angled Strikes with Seals
- Mushroom Bulb Seals
- 45° & 90° Magnetic Verticals
- Seals & Wipes
- Framed & Semi-Frameless Seals & Stops
- Transparent Water Clear Adhesive Tape



Commercial & Residential Contractor Supply House



Glass • Windows • Aluminum • Doors • Mouldings • Tools • Screens • Accessories



HARDWARE SOLUTIONS LLC

1690 W Frontage Rd, Chula Vista, CA 91911

Direct: (619) 737-9999


Text: (619) 796-6088

Email: info@glahs.com

www.hardwareolutions.com

HS SHOWER DOOR POLYCARBONATE BOTTOM SWEEP WITH DRIP RAIL

- Snaps on Bottom of Door
- 45° Drip Rail Assists in Deflecting Water Back Into the Enclosure




BEST SELLER

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1401	1/4" (6 MM)	7/16" (11 MM)	95"
P3801	3/8" (10 MM)		95"
P38011			31"
P38012			36"
P1201	1/2" (12 MM)		95"
P12011			31"
P12012			36"

HS SHOWER DOOR POLYCARBONATE ONE PIECE BOTTOM RAIL WITH WIPE

Side View




- Single-Piece Bottom Sweep
- Snaps Onto Door Bottom to Achieve a Seal

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3806	3/8" (10 MM)	7/16" (11 MM)	95"
P1206	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE TWO PIECE BOTTOM RAIL W/ WIPE INSERT

Side View




- Flexible Vinyl Insert Included for Extra Protection
- Snaps Onto Door Bottom to Achieve a Seal

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3807	3/8" (10 MM)	7/16" (11 MM)	95"
P1207	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE MULTI-PURPOSE (Y) ANGLED JAMB

TOP VIEW




- Snaps Onto Door Bottom to Achieve a Seal
- Versatile Seal Can Be Used as Bottom Sweep, or Vertically on Bi-Fold Doors or Fixed Panels

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1405	1/4" (6 MM)	1/4" (6 MM)	95"
P3805	3/8" (10 MM)		
P1205	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE H-JAMB WITH RIGID LEG

Top View




- Snaps Onto Fixed Panel
- 180 Degree inline Door Stop
- Designed for Glass-to-Glass Applications

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1403	1/4" (6 MM)	3/16" (5 MM)	95"
P3803	3/8" (10 MM)		
P1203	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE H-JAMB WITH SOFT LEG

BEST SELLER

Top View



- Snaps Onto the Fixed Panel
- Serves as a Door Stop and Seal
- Designed for Glass-to-Glass Applications

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1202	3/8" (10 MM)	3/16" (5 MM)	95"
P3802	1/2" (12 MM)		



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS HARDWARE
SOLUTIONS



HS SHOWER DOOR POLYCARBONATE WITH 90° MAGNETIC VERTICAL PROFILE

- Made of Co-Extruded Plastic w/ Soft Magnetic Receiver
- Magnetic Strip Ensures an Efficient Door Seal in a Glass-to-Glass Application
- Can Be Trimmed with Scissors to Fit Your Shower Door
- Made from Anti-Fungal and Anti-Bacterial Materials
- UV and Chemical Resistant



ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1410	1/4" & 5/16" (6 MM - 8 MM)	7/16" (11 MM)	95"
P3810	1/8" & 1/2" (3 MM - 13 MM)		


HS SHOWER DOOR POLYCARBONATE WITH 45° MAGNETIC VERTICAL PROFILE

- Made of Co-Extruded Plastic w/ Soft Magnetic Receiver
- Magnetic Strip Ensures an Efficient Door Seal in a Glass-to-Glass Application
- Can Be Trimmed with Scissors to Fit Your Shower Door
- Made from Anti-Fungal and Anti-Bacterial Materials
- UV and Chemical Resistant



ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1411	1/4" & 5/16" (6 MM - 8 MM)	7/16" (11 MM)	95"
P3812	1/8" & 1/2" (3 MM - 13 MM)		


HS SHOWER DOOR POLYCARBONATE MULTI-PURPOSE (H) 4 WIPES



- Can Be Used as a Bottom Sweep, or as a Seal if Run Vertically Up the Edge of the Door or Fixed Panel

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P1404	1/4" (6 MM)	5/16" (8 MM)	95"
P3804	3/8" (10 MM)		
P1204	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE MUSHROOM BULB SEAL




- 95" (2.13 m) Stock Length
- Suggested Gap: 1/4" (6 mm)
- Can Be Used on Inswing and Outswing Doors

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3808	3/8" (10 MM)	1/4" (6 MM)	95"
P1208	1/2" (12 MM)		

HS SHOWER DOOR POLYCARBONATE BOTTOM WIPE WITH DRIP RAIL

FOR HS CORONADO (CAMBRIDGE) & HS CUYAMACA (CRESCENT) DOOR SYSTEMS




- Snaps Clear Plastic Wipe Slips Onto Bottom of Door
- 45° Drip Rail Assists in Deflecting Water Back Into the Enclosure

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3811	3/8" (10 MM)	3/8" (10 MM)	40"

HS SHOWER DOOR POLYCARBONATE SLIDING DOOR WIPE LEG

FOR HS SOUTHBAY (SERENITY) DOOR SYSTEM





- Flexible "Leg" or "Fin", Deflects Water Back Into the Enclosure

ITEM NO.	GLASS SIZE	FIN LENGTH	LENGTH
P3809	3/8" (10 MM)	1-1/8" (29 MM)	95"
P1209	1/2" (12 MM)	1-3/8" (35 MM)	



HARDWARE SOLUTIONS LLC
1690 W Frontage Rd, Chula Vista, CA 91911
Direct: (619) 737-9999 | Text: (619) 796-6088
Email: info@glahs.com | www.hardware-solutions.com



HS SHOWER DOOR POLYCARBONATE 90° ANGLED STRIKE W/ SEAL



- Snaps Onto Fixed Panel
- Suggested Gap: 3/16" (4.7 mm)
- For 90° Glass-to-Glass Applications
- Flexible Vinyl Insert Included for Extra Protection

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3820	3/8" (10 MM)	3/16" (5 MM)	95"



HS SHOWER DOOR POLYCARBONATE 135° ANGLED STRIKE W/ SEAL



- Snaps Onto Door
- Flexible Vinyl Insert Included for Extra Protection
- For 135° Glass-to-Glass Applications
- Suggested Gap: 3/16" (4.7 mm)

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3821	3/8" (10 MM)	3/16" (5 MM)	95"




HS SHOWER DOOR POLYCARBONATE 135° ANGLED STRIKE FOR MITERED FIXED PANEL W/ SEAL



- Snaps Onto Fixed Panel
- Flexible Vinyl Insert Included for Extra Protection
- For 135° Glass-to-Glass Applications
- Suggested Gap: 3/16" (4.7 mm)

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3822	3/8" (10 MM)	3/16" (5 MM)	95"

HS SHOWER DOOR POLYCARBONATE 180° ANGLED STRIKE W/ SEAL




- Snaps Onto Fixed Panel
- Flexible Vinyl Insert Included for Extra Protection
- For 180° Glass-to-Glass Applications
- Suggested Gap: 3/16" (4.7 mm)

ITEM NO.	GLASS SIZE	SUGGESTED GAP	LENGTH
P3823	3/8" (10 MM)	3/16" (5 MM)	95"




Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

HS SHOWER DOOR POLYCARBONATE TRANSLUCENT BULB SEAL



ITEM NO.	WIDTH	HEIGHT	LENGTH
PS01	5/16" (8 MM)	5/32" (4 MM) - SMALL	95"
PS02	5/16" (8 MM)	7/32" (6 MM) - MEDIUM	
PS03	3/8" (10 MM)	3/8" (10 MM) - LARGE	


HS SHOWER DOOR POLYCARBONATE TRANSLUCENT SILICONE BULB SEAL



- Can be Used on Inswing and Outswing Doors to Close Gaps from 1/16" to 3/16" (1.6 to 5 mm)

ITEM NO.	WIDTH	LENGTH	FINISH
PS08	5/16"	95"	CLEAR VINYL

HS SHOWER DOOR POLYCARBONATE L-SEAL



- Pre-Applied Tape Allows Ease of Installation
- Can Be Used for Both Hinge and Strike Side of Door

ITEM NO.	WIDTH	HEIGHT	SUGGESTED GAP	LENGTH
PS07	1/2" (12 MM)	1/2" (12 MM)	3/8" (10 MM)	95"

HS SHOWER DOOR POLYCARBONATE L-SHAPED WALL TO GLASS BUMPER W/ RED TAPE APPLIED


USED ON HS SOUTHBAY (SERENITY) & HS CORONADO (CAMBRIDGE) UNITS



- Pre-Applied Tape Allows Ease of Installation
- Can Be Used for Both Hinge and Strike Side of Door

ITEM NO.	WIDTH	HEIGHT	SUGGESTED GAP	LENGTH
PS09	1/2" (12 MM)	5/8" (16 MM)	3/8" (10 MM)	95"


HS SHOWER DOOR POLYCARBONATE DOUBLE FIN SEAL (PIE SEAL)



- Can Be Used For Inswing or Outswing Doors
- Suggested Gap: 5/16"

ITEM NO.	SUGGESTED GAP	LENGTH
PS04	5/16" (8 MM)	95"

HS SHOWER DOOR POLYCARBONATE T-WIPE




- Can Be Used On in or Out-Swinging Doors
- Mold Resistant, with Anti-Fungal Additives
- Clear, Durable Seals Used to Prevent Water From Escaping Frameless Shower Enclosures

ITEM NO.	SUGGESTED GAP	LENGTH
PS05	7/16" (11 MM)	95"




HS SHOWER DOOR POLYCARBONATE V-WIPE



- Dual Durometer with Soft Leg
- Very Hi-Bond Tape is Required For Installation
- Disperses Water Back Into Shower and Seals Gaps

ITEM NO.	SUGGESTED GAP	LENGTH
PS06	3/16" TO 1/4" (5MM TO 6MM)	95"

HS SHOWER DOOR POLYCARBONATE BOTTOM BULB TYPE SEAL



- Constructed of Clear Vinyl
- For Use on Hinged Shower and Tub Enclosure Doors
- Helps Prevent Leakage of Water Onto Finished Flooring

ITEM NO.	HEIGHT	LENGTH
M6184	1" (25 MM)	36"

HS SHOWER DOOR POLYCARBONATE BOTTOM STAR SEAL



- Prevents Water From Leaking Onto Floor
- Made From Clear Extruded Vinyl for Durability

ITEM NO.	HEIGHT	LENGTH
M6227	1-5/16" (33 MM)	36"


HS SHOWER DOOR POLYCARBONATE BOTTOM DOUBLE "T" SEAL



- Made From Clear Extruded Vinyl for Durability
- Tee Shape Insert on the Top Edge to Prevent Water Leakage

ITEM NO.	WIDTH	HEIGHT	LENGTH
M6228	3/16" (5 MM)	3/4" (19 MM)	36"

HS SHOWER DOOR POLYCARBONATE BOTTOM "T" SEAL



- Constructed of Clear Vinyl
- Helps Prevent Leakage of Water Onto Finished Flooring
- For Use on Hinged / Swinging Shower and Tub Enclosure Doors

ITEM NO.	WIDTH	HEIGHT	LENGTH
M6211	5/32" (4 MM)	1" (25 MM)	36"

HS TRANSPARENT WATER CLEAR ADHESIVE TAPE



- Will Not Absorb Moisture
- Instant Pressure Sensitive Bonding
- Will Not Harden or Become Brittle With Age
- Maintains Adhesion at Sub-Zero Temperatures
- Long Life Performance and High Bond Strength

ITEM NO.	WIDTH	THICKNESS	LENGTH	QTY
WCT14S	1/4"	.020"	20 FT.	24
WCT14L	1/4"			24



Visit www.hardware-solutions.com
or Scan QR Code with your smart
phone to view our online catalog.

